
PRODUCT DATA SHEET

Category: Signs
Subcategory: Door Signs
Family Name: Exitron II

Ceiling/Wall Door Sign


LED 2.2W/4.2W | IP40



specifications

Viewing Distance	**20/30m**
Mounting	**Ceiling,Wall**
Type	**Self-Contained**
Mode Of Operartion	**Maintained/Non-Maintained**
Test Device	**Automatic**
Emergency Duration	**1/2/3/8 h(Selctable)**
Battery	**LiFePO4 3.2 V/ 0.6 Ah (20m), 3.2V/1.5 Ah (30m)**
Housing Material	**PC**
Housing Color	**White**
Insulation Class	**II**
IP Rating	**IP40**
CCT	**6500K**
CRI	**90**
Rated Voltage	**220-240 VAC,50/60Hz**
Rated Wattage	**2.2W(20m),4.2W(30m)**
Dimension	**200x118mm**
Weight	**0.34 kg(20m),0.56 kg(30m)**
Ambient Temp.	**0 °C to +40 °C**

Technical Dimensions



Product Codes


BUHO CODE	Description
BU-EXI2-X8-20 LFP	Escape sign luminaire X8, 20 m, universal mounting, LiFePO4, 1/2/3/8 h
BU-EXI2-X8-30 LFP	Escape sign luminaire X8, 30 m, universal mounting, LiFePO4, 1/2/3/8 h,
BU-EXI2-X8-20 CS	Escape sign luminaire X8, 20 m, universal mounting, central battery
BU-EXI2-X8-30 CS	Escape sign luminaire X8, 30 m, universal mounting, central battery


Accessories Codes

Code	Description
BU-EXI2-X8RF	X8 ceiling recessed frame
BU-EXI2-X8WR	X8 wire supsension kit
BU-EXI2-1PL03	Pole suspension kit, 0,3 m
BU-EXI2-1PL05	Pole suspension kit, 0,5 m
BU-EXI2-1PL10	Pole suspension kit, 1 m
BU-EXI2-P-X8-20-V-L	X8-20 pictogram, vertical, left, ISO 7010
BU-EXI2-P-X8-20-V-R	X8-20 pictogram, vertical, right, ISO 7010
BU-EXI2-P-X8-20-V-U	X8-20 pictogram, vertical, up, ISO 7010
BU-EXI2-P-X8-20-V-D	X8-20 pictogram, vertical, down, ISO 7010
BU-EXI2-P-X8-30-V-L	X8-30 pictogram, vertical, left, ISO 7010
BU-EXI2-P-X8-30-V-R	X8-30 pictogram, vertical, right, ISO 7010
BU-EXI2-P-X8-30-V-U	X8-30 pictogram, vertical, up, ISO 7010
BU-EXI2-P-X8-30-V-D	X8-30 pictogram, vertical, down, ISO 7010


Accessories


X8RF — X8 ceiling recessed frame





X8WR — X8 wire supsension kit







Pole suspension kit, 0,3 m

Pole suspension kit, 0,5 m

Pole suspension kit, 1 m





pictogram, vertical, left, ISO 7010

pictogram, vertical, right, ISO 7010

pictogram, vertical, up, ISO 7010

pictogram, vertical, down, ISO 7010

pictogram, vertical, left, ISO 7010

pictogram, vertical, right, ISO 7010

pictogram, vertical, up, ISO 7010

pictogram, vertical, down, ISO 7010

